UL Product **iQ**[™]

NLDX2.E63582 - MOTOR CONTROLLERS, MAGNETIC - COMPONENT

Motor Controllers, Magnetic - Component

See General Information for Motor Controllers, Magnetic - Component

ELMA TT CESTA 24 JUNIJA 23 CRNUCE 1231 LJUBLJANA, SLOVENIA

Investigated to ANSI/UL 508

Relays Model(s) PR41 followed by A, B or C, followed by 0, 5 or 6, followed by 006, 012, 024, 048, 060, 110 or 220V, 006, 012, 024, 048, 110, 230, 240V, 50Hz or 60Hz.

PR42 followed by A, B or C, followed by 0, 5 or 6, followed by 006, 012, 024, 048, 060, 110 or 220V, 006, 012, 024, 048, 110, 230, 240V, 50Hz or 60Hz.

PR45 followed by A, B or C, followed by 0, 5 or 6, followed by 006, 012, 024, 048, 060, 110 or 220V, 006, 012, 024, 048, 110, 230, 240V, 50Hz or 60Hz.

PR46 followed by A, B or C, followed by 0, 5 or 6, followed by 006, 012, 024, 048, 060, 110 or 220V, 006, 012, 024, 048, 110, 230, 240V, 50Hz or 60Hz.

PR55 followed by A, B or C, followed by 0, 5 or 6, followed by 006, 012, 024, 048, 060, 110 or 220V, 006, 012, 024, 048, 110, 230, 240V, 50Hz or 60Hz.

PR58 followed by A, B or C, followed by 0, 5 or 6, followed by 006, 012, 024, 048, 060, 110 or 220V, 006, 012, 024, 048, 110, 230, 240V, 50Hz or 60Hz.

PR59 followed by A, B or C, followed by 0, 5 or 6, followed by 006, 012, 024, 048, 060, 110 or 220V, 006, 012, 024, 048, 110, 230, 240V, 50Hz or 60Hz.

TRK5 followed by 2 or 4, followed by 1 or 2, followed by 1, 2 or 3, followed by 3V, 5V, 6V, 12V, 18V, 24V, 36V or 48Vdc.

TRP3 followed by 1 or 2, followed by 2 or 4, followed by 0, 1, 2, 4, 5, 6, 7 or 9, followed by 6V, 12V, 24V, 48V, 60V, 110V, 220V or 230 Vdc or 6V, 12V, 24V, 48V, 60V, 110V, 220V, 230V or 240Vac.

TRP681 followed by 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9, followed by 006, 012, 024, 048, 060, 110 or 220Vdc, 006, 012, 024, 048, 110, 230, 240V, 50 Hz or 60 Hz.

TRP682 followed by 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9, followed by 006, 012, 024, 048, 060, 110 or 220Vdc, 006, 012, 024, 048, 110, 230, 240V, 50 Hz or 60 Hz.

TRP693 followed by 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9, followed by 006, 012, 024, 048, 060, 110 or 220Vdc, 006, 012, 024, 048, 110, 230, 240V, 50 Hz or 60 Hz.

Marking: Company name and model designation.

We use cookies to personalize

Last Updated on 2018-09-06

ered

content and ads, to provide

social media features and to The appearance of a company's name or product in this database does not in itself assure that products so identif manufactured under UL's Pollow-UP Service. Only those products bearing the UL Mark Should be considered to b under UL's Follow-UP Service. Only those products bearing the UL Mark Should be considered to b

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a nonmisleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory Designs, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a nonmisleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory Designs, Designs, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a nonmisleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory Designs, Designs,

-

E63582

(UL)

15. 5. 2019

MOTOR CONTROLLERS, MAGNETIC - COMPONENT | UL Product iQ

with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners.. Learn More

> Cookie Settings

✓ Accept